Danner
- EST. 1932 -
TACTICAL WORKBOOK
SPRING 2018

BUILT TO LAST.
SINCE 1932.

At Danner, we are craftsmen. We pay attention to details. We forgo quantity for quality, knowing the product we build is no better than the hands that create it.

With roots in the Pacific Northwest, we manufacture premium quality Law Enforcement and Military footwear, using only the highest quality materials, developing footwear that, year after year, stands up to the test of time.

A Danner boot is a mark of unsacrificing quality. It has been for over 80 years, and will be for many more to come.

Welcome to our Spring 2018 Collection.

DROMOS

Ortholite®

21384

21382

LAST DPDX

HEIGHT 6" [21384]; 8" [21382]

Style Nº	Color / Pattern	Weight
21382	Black	43oz
21384	Black	34oz

- Athletic, lightweight construction boot
- Durable, polishable, synthetic no-sew upper with heavy-duty ballistic nylon
- Breathable, moisture-wicking air mesh lining
- Speed lacing system for secure, enhanced fit
- Cushioning open-cell OrthoLite® footbed
- Danner® Plyolite™ midsole offers lightweight comfort and durability
- Danner® Dromos slip-resistant rubber outsole with low pentagonal lug pattern and built-in flexibility offers superior traction in urban environments

SIZES

21382	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
21384	**D:** 8-15 [½ thru 12]; **EE:** 9-14 [½ thru 12]

TACHYON

GORE-TEX

NEW 50124

50120

50122

LAST DLE-01	HEIGHT 8"

Style Nº	Color / Pattern	Weight
50120	Black	26oz
50122	Black	35oz
50124	Black	26oz

- Ultralight synthetic upper with abrasion-resistant toe cap for superior weight reduction and drying time [50120]
- Durable, polishable full-grain leather and 500 denier nylon upper
- Breathable air mesh lining [50120, 50124]
- GORE-TEX® waterproof, breathable lining [50122]
- Speed lacing system for secure, enhanced fit
- Cushioning, open-cell PU footbed
- EVA cushioning and shock absorbing midsole
- Nylon shank
- Danner® Tachyon slip-resistant rubber outsole with low pentagonal lug pattern offers superior ground contact

SIZES	
50120, 50122	D: 3-16 [½ thru 12]; EE: 3-16 [½ thru 12]
50124	D: 8-15 [½ thru 12]; EE: 9-14 [½ thru 12]

LOOKOUT STATION OFFICE BOOT

DANNER® DRY // DCS

23828, 23829

LAST DCP1-H | **HEIGHT** 5.5"

Style N°	Color / Pattern	Weight	Safety Toe
23828	Black	50oz	-
23829	Black	54oz	NMT

- Polishable, full-grain leather and nylon upper
- Anatomical design and broader toe box for a more responsive fit
- Danner® Dry waterproof protection
- Patent-pending dual-density footbed for cushioning and underfoot air circulation, with an Airthotic® heel clip for support
- Dual pull tabs for easy pull on
- Nylon shank
- Danner® Comfort System platform offers superior comfort, support and durability
- Danner® Lookout slip-resistant outsole with low pentagonal lug pattern offers superior traction and maneuverability
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [23829]
- Body fluid born pathogen resistance meets or exceeds NFPA sec 13 7.4 2.7 standards

SIZES

D: 8-15 [½ thru 12]; **EE:** 9-14 [½ thru 12]

LOOKOUT / LOOKOUT SIDE-ZIP

DANNER® DRY Thinsulate Ultra INSULATION // DCS

23827

23820, 23821

23822. 23824

23821 Side-Zip

23824 Side-Zip

LAST DCP1-H	HEIGHT 5.5" [23820, 23821]; 8" [23822, 23824, 23827]

Style Nº	Color / Pattern	Weight	Insulation	Safety Toe
23820	Black	50oz	-	-
23821	Black	54 oz	-	NMT
23822	Black	54oz	-	-
23824	Black	54 oz	-	-
23827	Black	66oz	800G	-

- Durable, waterproof, polishable leather upper with ripstop ballistic nylon
- Anatomical design and broader toe box for a more responsive fit
- Danner® Dry waterproof protection
- Side-zip [23821, 23824]
- Thinsulate™ Ultra Insulation [23827]
- Patent-pending dual-density footbed for cushioning and underfoot air circulation, with an Airthotic® heel clip for support
- Nylon shank
- Danner® Comfort System platform offers superior comfort, support and durability
- Danner® Lookout slip-resistant outsole with low pentagonal lug pattern offers superior traction and maneuverability
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [23821]
- Body fluid borne pathogen resistance meets or exceeds NFPA sec 13 7.4 2.7 and ASTM F1671-13 standards

SIZES	
23822, 23834, 23827, 23821	D: 6-16 [½ thru 12]; EE: 6-16 [½ thru 12]
23820	D: 5-15 [½ thru 12]; EE: 9-14 [½ thru 12]

LOOKOUT EMS SIDE-ZIP

DANNER® DRY // DCS

23826

LAST DCP1-H | **HEIGHT** 8" 23826

Style Nº	Color / Pattern	Weight	Safety Toe
23826	Black	58oz	NMT

- Durable, waterproof, polishable leather upper
- Anatomical design and broader toe box for a more responsive fit
- Danner® Dry waterproof protection
- Semi-locking side-zip
- Patent-pending dual-density footbed for cushioning and underfoot air circulation, with an Airthotic® heel clip for support
- Nylon shank
- Danner® Comfort System platform offers superior comfort, support and durability
- Danner® Lookout slip-resistant outsole with low pentagonal lug pattern offers superior traction and maneuverability
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH
- Body fluid borne pathogen resistance meets or exceeds NFPA sec 13 7.4 2.7 and ASTM F1671-13 standards
- NFPA 1999-2013 EMS certified
- Puncture resistant midsole CSA certified to -2195

SIZES

B: 6-16 [½ thru 12]; **D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

STRIKER® TORRENT / STRIKER® TORRENT SIDE-ZIP

GORE-TEX® | Thinsulate™ Ultra Insulation | // TFX-8 | Vibram®

43003, 43031, 43035

43011

43027, 43029

43011 Side-Zip

43013, 43031 Side-Zip

LAST 851	HEIGHT 4.5"[43029]; 6" [43011]; 8" [43003, 43013, 43027, 43031, 43035]

Style Nº	Color / Pattern	Weight	Insulation
43003	Black	58oz	-
43011	Black	54 oz	-
43013	Black	56 oz	-
43027	Black	48oz	-
43029	Black	43oz	-
43031	Black	60 oz	-
43035	Black	62oz	400G

- Durable, polishable full-grain leather upper with lightweight 1000 denier nylon
- All-leather upper [43031]
- GORE-TEX® waterproof breathable lining
- Thinsulate™ Ultra Insulation [43035]
- Speed lacing system with lace garage for secure, enhanced fit
- Cushioning PU footbed
- Abrasion-resistant EVA cushioning and shock absorbing midsole
- Nylon shank
- Danner® TFX-8 platform with cross-stitch design offers added durability and stability in the lateral toe and medial heel pivot zones
- Vibram® Striker® Torrent oil-and-slip-resistant 360° low pentagonal lugged outsole offers grip in all directions with a flex notch design in key pivot areas and a more rugged outer lug pattern which sheds water and provides maximum surface contact

SIZES

43003, 43027, 43031, 43035	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
43011, 43013	**D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]
43029	**Women's M:** 5-11 [½ thru 10]

STRIKER® II EMS SIDE-ZIP

GORE-TEX® CROSSTECH® // TFX LITE

42930

LAST 851	HEIGHT 8"

Style Nº	Color / Pattern	Weight	Insulation	Safety Toe
42930	Black	48oz	-	NMT

- Durable, waterproof, polishable all-leather upper
- GORE-TEX® CROSSTECH® waterproof, breathable lining protects against blood-borne pathogens
- Side-zip for easy on/off
- Flex II midsole meets or exceeds ASTM F2413-11 standards for puncture resistance
- Nylon shank
- Danner® TFX® Lite platform offers lightweight performance and stability
- Danner® TFX® Lite oil-and-slip-resistant outsole offers superior grip and stability
- Pro-Tec™ non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH
- NFPA 1999-2013 EMS certified
- Puncture resistant midsole CSA certified to -2195

SIZES

N: 3-16 [½ thru 12]; **M:** 3-16 [½ thru 12]; **W:** 3-16 [½ thru 12]

NEW SCORCH

Ortholite®

25730

25732

LAST 1368 | **HEIGHT** 6" [25730]; 8" [25732]

Style Nº	Color / Pattern	Weight
25730	Black	37 oz
25732	Black	40 oz

- Lightweight, breathable upper featuring die-cut panels for increased air circulation
- Polishable toe
- Breathable, mesh lining
- Speeding lacing for quick adjustments
- Cushioning Ortholite™ footbed for comfort
- Danner® Plyolite™ midsole offers lightweight comfort and durability
- Nylon shank
- Danner Scorch outsole is slip resistant and designed with a stability control arch

SIZES

25730	**D:** 8-15 [½ thru 12]; **EE:** 9-14 [½ thru 12]
25732	**D:** 5-14 [½ thru 12]; **EE:** 9-14 [½ thru 12]

RIVOT TFX®

GORE-TEX // TFX

51520

LAST 851	HEIGHT 8"

Style Nº	Color / Pattern	Weight
51520	Black	56oz

- **Made in the USA [Berry Compliant]**
- Durable, full-grain polishable leather upper with lightweight 1000 denier nylon
- GORE-TEX® waterproof breathable lining
- Speed lacing system for secure, enhanced fit
- Cushioning PU footbed
- Fiberglass shank
- TERRA FORCE® X platform offers lightweight performance and stability
- Danner® Vibram® Rivot TFX 360° lugged outsole offers superior grip and mobility for increased pivot movements

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

STALWART / STALWART SIDE-ZIP

GORE-TEX // STITCHDOWN

26221

NEW 26223

NEW 26225

26225

LAST 610	HEIGHT 6" [26223]; 8" [26221, 26225]

Style N°	Color / Pattern	Weight
26221	Black	52oz
26223	Black	50 oz
26225	Black	56 oz

- Durable, polishable, full-grain leather upper with lightweight 1000 denier nylon
- GORE-TEX® waterpoof, breathable lining
- Speed lacing system for secure, enhanced fit
- All-leather upper with side-zip [26225]
- Cushioning PU footbed
- PU midsole
- Lightweight Bi-Fit™ board offers increased rigidity in the heel and allows for flexibility in the forefoot
- Handcrafted, stitchdown construction for strength and stability
- Vibram® Kletterlift Light oil-and-slip-resistant outsole with low lugs for urban environments and Vibram® TC4T compound for added durability
- Recraftable [see pg. 37]

SIZES

26221, 26225	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
26223	**D:** 8-15 [½ thru 12]; **EE:** 9-14 [½ thru 12]

ACADIA®

GORE-TEX | Thinsulate Ultra Insulation | Thinsulate Insulation | // STITCHDOWN | Vibram

21210, 22500, 22600, 69210

LAST 650, 516 [22500] | **HEIGHT** 8"

Style Nº	Color / Pattern	Weight	Insulation	Safety Toe
21210	Black	61oz	-	-
22500	Black	69oz	-	NMT
22600	Black	69oz	400G	-
69210	Black	66oz	200G	-

- **Made in the USA [Berry Compliant]**
- Durable, waterproof, polishable full-grain leather upper with lightweight 1000 denier nylon
- GORE-TEX® waterproof breathable lining
- Thinsulate™ Insulation and Thinsulate™ Ultra Insulation [22600, 69210]
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 148 Kletterlift outsole offers superior traction, stability and shock absorption
- Recraftable [see pg. 37]
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH

SIZES	
21210	**B:** 8-14 [½ thru 12]; **D:** 7-16 [½ thru 12]; **EE:** 6-15 [½ thru 12]; **EEEE:** 8-14 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]
2250	**D:** 7-14 [½ thru 12]; **EE:** 6-13 [½ thru 12]
22600, 69210	**B:** 8-14 [½ thru 12]; **D:** 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

RECON

GORE-TEX Thinsulate INSULATION // STITCHDOWN Vibram

69410

LAST 650	HEIGHT 8"

Style Nº	Color / Pattern	Weight	Insulation
69410	Black	68oz	200G

- **Made in the USA [Berry Compliant]**
- Durable, waterproof, polishable full-grain leather upper
- GORE-TEX® waterproof breathable lining
- Thinsulate™ Insulation
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 148 Kletterlift outsole offers superior traction, stability and shock absorption
- Recraftable [see pg. 37]

SIZES

D: 7-15 [½ thru 12]; **EE:** 6-14 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

PATROL

GORE-TEX // STITCHDOWN

25200

LAST 650	HEIGHT 6″

Style N°	Color / Pattern	Weight
25200	Black	64oz

- **Made in the USA [Berry Compliant]**
- Durable, waterproof, polishable full-grain leather upper with lightweight 1000 denier nylon
- GORE-TEX® waterproof breathable lining
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 1276 Sierra outsole for traction in diverse terrain
- Recraftable [see pg. 37]

SIZES

D: 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

FORT LEWIS

GORE-TEX Thinsulate INSULATION // STITCHDOWN VIBRAM

29110, 69110

LAST 650	HEIGHT 10"

Style Nº	Color / Pattern	Weight	Insulation
29110	Black	74oz	-
69110	Black	74oz	200G

- **Made in the USA [Berry Compliant]**
- Durable, waterproof, polishable full-grain leather upper
- GORE-TEX® waterproof breathable lining
- Thinsulate™ Insulation [69110]
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 148 Kletterlift outsole offers superior traction, stability and shock absorption
- Recraftable [see pg. 37]

SIZES	
29110	**D:** 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]
69110	**B:** 8-14 [½ thru 12]; **D:** 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

DFA

GORE-TEX // VIA

15404

LAST 1368	HEIGHT 8"

Style Nº	Color / Pattern	Weight
15404	Black	61oz

- Durable, waterproof nubuck leather upper with lightweight 1000 denier nylon
- GORE-TEX® waterproof breathable lining
- Variable lacing system with lace garage for customizable fit
- Cushioning PU footbed
- Puncture-resistant Pebax® midsole plate offers springboard toe return and impact absorption
- Bi-Fit™ shank
- Danner® VIA technology features a Vibram® V-4 ultra-abrasion rubber compound in the medial side arch for fast roping control
- Danner® Vibram® DFA 360° low-lugged outsole offers grip in all directions

SIZES

D: 3-16 [½ thru 12]; **EE:** 7-14 [½ thru 12]

KINETIC / KINETIC SIDE-ZIP

GORE-TEX

28010, 28012, 28080

28015, 28017

28012

28017

LAST 1368 **HEIGHT** 6" [28015, 28017]; 8" [28010, 28012, 28080]

Style N°	Color / Pattern	Weight
28010	Black	53 oz
28012	Black	53oz
28015	Black	50 oz
28017	Black	50oz

- Durable, waterproof, polishable full-grain leather upper with ripstop ballistic nylon
- GORE-TEX® waterproof breathable lining
- Speed lacing system for a secure, enhanced fit
- Side-zip for easy on/off [28012, 28017]
- Cushioning PU footbed
- PU midsole
- Nylon shank
- Danner® Kinetic slip-resistant rubber outsole offers superior surface contact and traction

SIZES

28010, 28015	**D:** 6-16 [½ thru 12]; **EE:** 7-14 [½ thru 12]
28015, 28017	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
28080	**Women's M:** 5-11 [½ thru 11]

RECKONING

NEW 53231, 53223, 53225
53221

53231

USMC Approved style w/ Eagle, Globe, and Anchor emblem

LAST 851	HEIGHT 8"

Style Nº	Color / Pattern	Weight	Insulation	Safety Toe
53221	Coyote	37oz	-	-
53223	Coyote	54oz	-	NMT
53225	Coyote	53oz	400G	-
53231	Coyote	42 oz	-	-

SIZES

53221, 53231	**D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]
53223, 53225	D: 5-14 [½ thru 12]; **EE:** 5-14 [½ thru 12]

- **Made in the USA [Berry Compliant]**
- Meets AR 670-1 requirements for optional wear
- USMC Certified with Eagle, Globe and Anchor emblem [53231]
- Breathable, moisture-wicking air mesh lining and ventilation technology for hot weather [53221, 53223, 53231]
- GORE-TEX® waterproof, breathable lining [53235]
- Thinsulate™ Ultra Insulation [53225]
- Durable, rough-out leather with lightweight 1000 denier nylon
- Double rivet speed lacer for secure heel lock with Lace-to-Toe upper design for adjustable fit
- Fiberglass shank
- Innovative Danner® Vibram® All-Terrain (DAT) platform: PU midsole for shock absorption and rubber outsole engineered for high mileage durability [53221, 53231]
- Omni-directional pentagonal outsole lug pattern gives superior traction from all different angles
- Double bevel tread to prevent debris from compacting
- Arch Tech grip design provides traction and grip used for roping and climbing
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [53223]

RIVOT TFX®

GORE-TEX Thinsulate Ultra // TFX Vibram

51510, 51511, 51512, 51514, 51516

LAST 851 | **HEIGHT** 8"

Style Nº	Color / Pattern	Weight	Insulation	Safety Toe
51510	Coyote	56oz	-	-
51511	Coyote	58oz	-	-
51512	Coyote	58oz	-	NMT
51514	Coyote	65oz	400G	-
51516	Coyote	58oz	400G	-

- **Made in the USA [Berry Compliant]**
- Meets AR 670-1 requirement for optional wear
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Breathable, moisture-wicking mesh lining for hot weather [51510, 51512]
- GORE-TEX® waterproof, breathable lining [51511, 51514, 51516]
- Thinsulate™ Ultra Insulation [51514, 51516]
- Speed lacing system for secure, enhanced fit
- Cushioning PU footbed
- Fiberglass shank
- TERRA FORCE® X platform offers lightweight performance and stability
- Danner® Vibram® Rivot TFX 360° lugged outsole offers superior grip and mobility for increased pivot movements
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [51512]

SIZES	
51510, 51511, 51514	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
51512	**D:** 6-14 [½ thru 12]; **EE:** 6-14 [½ thru 12]
51516	**Women's M:** 5-11 [½ thru 10]

DESERT TFX® G3

GORE-TEX // TFX

24321, 24323

LAST 851	HEIGHT 8"

Style Nº	Color / Pattern	Weight
24321	Coyote	50oz
24323	Coyote	51oz

- Meets AR 670-1 requirement for optional wear
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Breathable, moisture-wicking mesh lining for hot weather [24321]
- GORE-TEX® waterproof, breathable lining [24323]
- Variable lacing system with lace garage for customizable fit
- Nylon shank
- Danner® TFX-8 platform with cross-stitch design offers added durability and stability in the lateral toe and medial heel pivot zones
- Vibram® Striker® Torrent oil-and-slip-resistant 360° low pentagonal lugged outsole offers grip in all directions with a flex notch design in key pivot areas and a more rugged outer lug pattern which sheds water and provides maximum surface contact

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

TANICUS

DANNER® DRY

55316, 55317

LAST 851 | **HEIGHT** 8"

Style Nº	Color / Pattern	Weight
55316	Coyote	42oz
55317	Coyote	45oz

- Meets AR 670-1 requirement for optional wear
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Breathable, moisture-wicking mesh lining for hot weather [55316]
- Danner® Dry waterproof protection [55317]
- Lace garage
- Cushioning PU footbed
- Fiberglass shank
- Danner® Tanicus slip-resistant outsole with pentagonal lug pattern offers superior durability and stability

SIZES

D: 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]

TACHYON

50136

LAST DLE-01	HEIGHT 8"

Style Nº	Color / Pattern	Weight
50136	Coyote	31oz

- Meets AR 670-1 requirement for optional wear
- Durable, rough-out leather upper with lightweight 500 denier nylon
- Speed lacing system for secure, enhanced fit
- Lace garage
- Cushioning, open-cell PU footbed
- EVA cushioning and shock absorbing midsole
- Nylon shank
- Danner® Tachyon slip-resistant rubber outsole with pentagonal lug pattern offers superior ground contact

SIZES

D: 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]

RECKONING

NEW 53212

53211

LAST 851	HEIGHT 8"

Style Nº	Color / Pattern	Weight	Safety Toe
53211	Sage Green	37oz	-
53212	Sage Green		NMT

- **Made in the USA [Berry Compliant]**
- Meets AFI 36-2903 requirement for optional wear
- Durable, rough-out leather with lightweight 1000 denier nylon
- Breathable, moisture-wicking air mesh lining and ventilation technology for hot weather
- Double rivet speed lacer for secure heel lock with Lace-to-Toe upper design for adjustable fit
- Fiberglass shank
- Innovative Danner® Vibram® All-Terrain (DAT) platform: PU midsole for shock absorption and rubber outsole engineered for high mileage durability
- Omni-directional pentagonal outsole lug pattern gives superior traction from all different angles
- Double bevel tread to prevent debris from compacting in outsole
- Arch Tech grip design provides traction and grip used for roping and climbing
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [53212]

SIZES	
53211	**D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]
53212	**D:** 5-14 [½ thru 12]; **EE:** 5-14 [½ thru 12]

RIVOT TFX®

GORE-TEX Thinsulate Ultra // TFX

51530, 51535, 51536, 51539, 51540

LAST 851 **HEIGHT** 8"

Style Nº	Color / Pattern	Weight	Insulation	Safety Toe
51530	Sage Green	56oz	-	-
51535	Sage Green	59oz	-	NMT
51536	Sage Green	57oz	-	-
51539	Sage Green	65oz	400G	-
51540	Sage Green	67oz	400G	NMT

- **Made in the USA [Berry Compliant]**
- Meets AFI 36-2903 requirement for optional wear
- Safe-to-Fly [51536]
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Breathable, moisture-wicking mesh lining for hot weather [51530]
- GORE-TEX® waterproof, breathable lining [51535, 51536, 51539, 51540]
- Thinsulate™ Ultra Insulation [51539, 51540]
- Speed lacing system for secure, enhanced fit
- Cushioning PU footbed
- Fiberglass shank
- TERRA FORCE® X platform offers lightweight performance and stability
- Danner® Vibram® Rivot TFX 360° lugged outsole offers superior grip and mobility for increased pivot movements
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [51535, 51540]

SIZES

51530, 51535, 51539, 51540	**D:** 6-14 [½ thru 12]; **EE:** 6-14 [½ thru 12]
51536	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

TANICUS

DANNER® DRY

55314, 55315, 55321

55321

LAST 851	HEIGHT 8"

Style Nº	Color / Pattern	Weight	Safety Toe
55314	Sage Green	42oz	-
55315	Sage Green	51oz	NMT
55321	Sage Green	51oz	NMT

- Meets AFI 36-2903 requirement for optional wear
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Breathable, moisture-wicking mesh lining for hot weather [55314. 55321]
- Danner® Dry waterproof protection [55315]
- Semi-locking side-zip for secure, enhanced fit [55321]
- Lace garage
- Cushioning PU footbed
- Fiberglass shank
- Danner® Tanicus slip-resistant outsole with pentagonal lug pattern offers superior durability and stability
- Non-metallic toe meets or exceeds ASTM F2413-11 I/75 C/75 EH [55315, 55321]

SIZES

D: 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]

TACHYON

50132

LAST DLE-01	HEIGHT 8"

Style Nº	Color / Pattern	Weight
50132	Sage Green	26oz

- Meets AFI 36-2903 requirement for optional wear
- Ultra-light synthetic upper with abrasion resistant toe cap for superior weight reduction and drying time
- Speed lacing system for secure, enhanced fit
- Lace garage
- Cushioning, open-cell PU footbed
- EVA cushioning and shock absorbing midsole
- Nylon shank
- Danner® Tachyon slip-resistant rubber outsole with pentagonal lug pattern offers superior ground contact

SIZES

D: 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]

NEW MARINE EXPEDITIONARY BOOT

GORE-TEX // STITCHDOWN

53110, 53110, 53111

LAST 610	HEIGHT 8"

Style Nº	Color / Pattern	Weight
53110	Mojave	66 oz
53111	Mojave	66 oz

- **Made in the USA [Berry Compliant]**
- USMC Certified with Eagle, Globe and Anchor emblem
- Gore-Tex® waterproof, breathable lining [53110]
- Breathable, moisture-wicking mesh lining for hot weather [53111]
- Durable, nubuck leather upper with lightweight 1000 denier nylon
- Speed lacing system with lace-to-toe design for secure fit
- PU footbed
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 360 outsole with Dri-Ice compound offers superior traction in rugged and cold-weather environments
- Recraftable [see pg. 37]

SIZES

N: 3-16; **R:** 3-16; **W:** 3-16; **XW:** 3-16

USMC RAT

GORE-TEX // STITCHDOWN

15610X, 15660X, 15670X

LAST 610/516 [15610X]	HEIGHT 8"

Style Nº	Color / Pattern	Weight	Safety Toe
15610X	Mojave	76oz	ST
15660X	Mojave	70oz	-
15670X	Mojave	70oz	-

- **Made in the USA [Berry Compliant]**
- Steel toe meets or exceeds ASTM F2413-11 I/75 C/75 EH
- USMC Certified with Eagle, Globe and Anchor emblem
- Durable, nubuck leather upper with lightweight 1000 denier nylon and abrasion-resistant PU-coated toe and heel cap
- Breathable, moisture-wicking mesh lining for hot weather [15610X, 15670X]
- GORE-TEX® waterproof, breathable lining [15660X]
- Speed lacing system with lace-to-toe design for secure fit
- PU footbed
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 360 outsole with Dri-Ice compound offers superior traction in rugged and cold-weather environments
- Recraftable [see pg. 37]

SIZES	
15660X, 15670X	N: 3-16; R: 3-16; W: 3-16; XW: 3-16
15610X	R: 3-16; W: 3-16

DANNER® MARINE

GORE-TEX // STITCHDOWN

26025, 26027

LAST 610	HEIGHT 8"

Style Nº	Color / Pattern	Weight
26025	Mojave	66oz
26027	Mojave	66oz

- **Made in the USA [Berry Compliant]**
- USMC Certified with Eagle, Globe and Anchor emblem
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Triple-stitched for superior fit and protection
- Breathable, moisture-wicking mesh lining for hot weather [26027]
- GORE-TEX® waterproof, breathable lining [26025]
- Speed lacing system with lace-to-toe design for secure fit
- PU footbed
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 1276 Sierra outsole for traction in diverse terrain and varied climates
- Recraftable [see pg. 37]

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

WOMEN'S SIZE CONVERSIONS															
Men's Size	3	3 ½	4	4 ½	5	5 ½	6	6 ½	7	7 ½	8	8 ½	9	9 ½	10
Women's Size	5	5 ½	6	6 ½	7	7 ½	8	8 ½	9	9 ½	10	10 ½	11	11 ½	12

SOCK SIZING CHART

	S	M	L	XL
Men		6-8.5	9-12	12.5-15
Women	4-6.5	7-9.5	10+	

TFX® HOT WEATHER DRYMAX®

H50212, H50211, H50203, H50201

SIZE S, M, L, XL

Style №	Color	Height	Weight
H50201	Foliage Green	Over-Calf	Lightweight
H50203	Coyote Brown	Over-Calf	Lightweight
H50211	Black	Over-Calf	Lightweight
H50212	Black	Crew	Lightweight

- Drymax® wicks away moisture to keep feet up to 25 times drier than polyester, acrylic, nylon or wool
- Microzap silver in Drymax® is antimicrobial for odor control

MATERIALS

All Styles Polyester 52%, Drymax® Olefin 27%, Elastane 12%, Nylon 9%

LACES

Style N°	Color	Eyes/Length
70012	Coyote	26/86"
70020	Black	14/54"
70021	Black	18/63"
70024	Mojave Olive	20/72"
70028	Black	20/72"
70029	Black	26/84"

LACE-IN BOOT ZIPPER

79300

Style N°	Length
79300	8"

- Berry Compliant
- Laces into your boots for quick entry and exit and consistent fit

DANNER® BOOT CARE SYSTEM

97002 97003 97004 97005

Style Nº	Product	Volume
97002	Waterproofing Gel	4oz
97003	Waterproofing Spray	4oz
97004	Leather conditioner by Lexol	8oz
97005	Leather cleaner by Lexol	8oz

- Danner® waterproofing gel cleans without leaving residues that can spoil waterproofing
- Danner® waterproofing spray blocks water from the outside while letting moisture escape from the inside, making it a great choice for suede or nubuck leather
- Danner® leather cleaner is formulated to the proper PH for leather, prolonging the life of leather goods
- Danner® conditioner softens, revives and waterproofs full-grain leather, preventing it from cracking and aging prematurely

BOOT DRESSING

97111 97112 97113

97401 97501 97503

Style Nº	Leather Color	Volume
97111	Black	1.7oz
97112	Brown	1.7oz
97113	Clear	1.7oz
97401	Brown	4oz
97501	Black	4oz
97503	Clear	4oz

- Prevents drying, cracking, scuffs and scratches
- May be used on all leather items, except nubuck or suede
- Sold in sets of 12

RECRAFTING: BOOT REPAIR SERVICES

BEFORE RECRAFTING

AFTER RECRAFTING

When you invest in a pair of stitchdown Danner® boots, you're getting the most durable, long-lasting footwear available. And for when they finally do begin to wear, Danner is proud to offer recrafting services to extend the life of your boots.

From simple part replacement to restitching seams to major overhauls, Danner can provide repair services so your boots can go even farther. Turnaround time varies, depending on the season and scope of work needed.

Unfortunately, not all Danner boots can be recrafted. They must have a stitchdown, not cement, construction. If there is a tear or hole in the leather, Danner is unable to recraft that boot. If you are unsure if your boot qualifies, please contact us at recrafting@danner.com or visit danner.com/recrafting.

PARTNER TECHNOLOGY

GORE-TEX® offers breathable, comfortable waterproof protection across a wide range of outdoor activities.

CROSSTECH® liner by W. L. Gore is waterproof, breathable and protects against blood-borne pathogens.

Vibram® is recognized worldwide as the leader in high-performance outsoles.

A specialized Vibram® Dri-Ice™ compound in the outsole remains flexible even in extreme cold for superior traction.

Thinsulate™ and Thinsulate™ Ultra Insulation are high-performance insulations that keep you warm without bulk and continue to insulate even when wet.

SOCIAL MEDIA

www.facebook.com/danner1932

www.instagram.com/dannerboots
@dannerboots

www.twitter.com/danner
@danner

www.youtube.com/danner1932

DANNER, INC.
17634 N.E. Airport Way • Portland, Oregon 97230-4975
800-345-0430 • 503-251-1100 • 503-251-1119 FAX
danner.com • info@danner.com

Danner, Inc.
NO. A3026
ISO 9001: 2008
CERTIFIED

2000 09/17 RH Tricor
White Pacesetter Silk
100 lb C / 80lb T
10% PCW

CONTRACT HOLDER
General Services Administration

Danner, Inc.
Contract Number: GS-07F-0077H
DUNS: 009028903
CAGE Code: 63887
NAICS Code: 316213

Call or Email Danner, Inc. for immediate GSA quote and product availability.

Danner®, ACADIA®, Danner Bob®, Cross-Hiker, Airthotic®, TERRA FORCE®, and TERRA FORCE® X (TFX) are registered trademarks of Danner, Inc. TF, the TF logo, and Striker® are trademarks of Danner, Inc. GORE-TEX®, GORE-TEX® CROSSTECH®, GTX®, Guaranteed to Keep You Dry and the Diamond logo are registered trademarks of W.L. Gore and Associates, Inc. Thinsulate™ and Thinsulate Ultra™ are trademarks of 3M. Vibram® is a registered trademark of Vibram S.p.A. of Italy.

© 2018 Danner, Inc. All Rights Reserved